

## RFID Hotel Door Access Control System Locks SL-HA6



### 1, Features:

- The new titanium aluminum alloy material is durable and does not fade, recommended by star hotels
- American Standard 5 bolt structure lock core, hierarchical management; Triple mute locking body;
- The motherboard supports anti-interference and error correction functions;
- The lock information will not be lost when the power is off;
- A clock inner lock controls the key card use time;
- Anti-static support;
- Low voltage alarm;
- Suitable for door thickness 35-55mm


## 2, Specification:


Material	Inner steel plate Outer Titanium-aluminium alloy
Mortise	U.S Mortise with 5 Latches
Door Type	Wooden door, composite door
Power supply	6V (4x AA batteries)
Unlock method	swipe + key
Low voltage worming	Yes
Card reading distance	less than 3CM
Color:	Silver / gold / red ancient / black
Application:	hotel / school / office/apartment, etc.
Door thickness:	30-55mm
Software	Yes
Type	Hotel management software
OS	Windows XP/Vista
Card Type	Mifare Card/ T555 / EM430 / apartment ID board
Card reader	Hotel lock encoder
Environment & Verification	
Working Temperature	-20°C-50°C
Working Humidity	20%-70%
Backup unlock mechanism	Mechanical Key
Dimension (L*W)	300x75x12mm
Warranty:	2 year
Weight:	3KG
Battery life	support 5000 lockout unlocking operation

### 3, Size:



### 4, Lock Mortise:





## 6, Packing Details



1: Front panel

2: Real panel

3: Lock mortise

4: Lock strike box

5: Lock strike plate

6: Room card

7: Mechanical lock cylinder

8: Fix mounting screws

9: Mechanical key

### 5, Installation Drawing

