


Pro Smart Card Encoder For Hotel Door Lock System SL-HM1



1, Features:


Compatible system	Windows95/98/2000 XP/Win7,32bit,64bit Win10 System, etc.
Power interface	USB
Sensing distance	3-8mm
Product Size	140*102*15mm
net weight	0.5KG
Material	high quality pvc



2, Specification:

System Construction	Hotel locks, computer, management software, Encoder, T5557card or energy-saving switch
Multiple functions	program / manage the cards
Five levels of control	General control, building control, floor control, area control and room control.
Password control	System password and operating password together to ensure security.
Cipher coding to key card	Each card has a different code that cannot be copied. Compulsory decoding will destroy the card automatically.
Area control	Cards of different types and levels can open different locks in different locations.
Timing control	The working clock is set inside locks to control the effective time limit of card keys.
File record	All issued card keys have records including each opening(also mechanical key opening).
Loss reporting	The open function can be cancelled when the card is missed
Power Supply	DC6V, use of 4 pieces of No. 5 (or No. 7) AA batteries, with lack of voltage indications.
Static Power Supply	1u A
Dynamic Power Supply	About 200mA
Lifetime of battery	For the allowed door open times, it normally can exceed 10, 000
Inductive Distance	3-10cm

4, Software:



System software interface



USB interface, plug and play