

RFID Card Access Control Hotel Lock SL-H2025 & SL-H2026



SL-H2025



SL-H2026-Silver

1, Features:

- The motherboard supports anti-interference and error correction functions;
- The lock information will not be lost when the power is off;
- A clock internal lock controls the use time of the key card;
- Anti-static support;
- Low voltage alarm;
- Suitable for door thickness 28-55mm

2, Specification:

Material	Inner steel plate Outer Zinc alloy
Mortise	U.S Mortise with 5 Latches
Door Type	Wooden door, composite door
Power supply	6V (4x AA batteries)
Unlock method	swipe + key
Low voltage worming	Yes
Card reading distance	less than 3CM
Color:	gray / gold / silver
Application:	hotel / school / office/apartment, etc.
Door thickness:	30-55mm
Software	Yes
Type	Hotel management software
OS	Windows XP/Vista
Card Type	Mifare Card/ T555 / EM430 / apartment ID board
Card reader	Hotel lock encoder
Environment & Verification	
Working Temperature	-20°C-50°C
Working Humidity	20%-70%
Backup unlock mechanism	Mechanical Key
Dimension (L*W)	230x50x10mm
Warranty:	2 year
Weight:	3KG
Battery life	support 5000 lockout unlocking operation

3, Size:



4, Lock Mortise:

